

unchanged. Kindly calculate the filing fee based on the amended claims.

The Examiner is encouraged to telephone the undersigned attorney to discuss any matter which would expedite allowance of the present application.

Respectfully submitted,

CORNELIS ROELAND BAYENSE,
ET AL.

By: Charles L. Gagnebin III
Charles L. Gagnebin III
Registration No. 25,467
Attorney for Applicants

WEINGARTEN, SCHURGIN, GAGNEBIN
& HAYES LLP
Ten Post Office Square
Boston, MA 02109
Telephone: (617) 542-2290
Telecopier: (617) 451-0313

Date: 5-21

CLG/mc/248831-1
Enclosures

Red-lined Claims for the Examiner's convenience

3. Extrudates according to claim 1~~or 2~~, having a length to diameter ratio of between 1 and 3.

4. Extrudates according to claims 1-3, wherein the total pore volume as determined by mercury porosimetry is between 0.5 and 0.75 ml/g.

5. Extrudates according to claims 1-4, wherein the BET surface area is at least 75 m²/g.

6. Extrudates according to claims 1-5, wherein the attrition in accordance with ASTM D4058-87 is less than 5 wt.%, preferably less than 3 wt.%.

7. Catalyst, comprising at least one catalytically active material supported on an extrudate according to claims 1-6.

9. Use of an extrudate according to claims 1-6 ~~or a catalyst according to claim 7 or 8~~ in a chemical reaction.